

Part Number: 936050079

Product Description: GWconnect Removal Tool for 10A Crimp Contacts, Metal Handle

Series Number: 93605

**Status**: Active

**Product Category:** Crimp Presses and Crimp

**Hand Tools** 

Engineering Number: 8500.7940.0



### **Documents & Resources**

### **Specifications**

Product Specification 510211006-PS-000.pdf

## **Product Environment Compliance**

## Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2022)4187-DC (10 June 2022)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

ZZCERT\_CE - Declaration of Conformity : CER\_4000443225\_00\_000.pdf ZZCERT\_UKCA - Declaration of Conformity : CER\_4000443226\_00\_000.pdf

## **Part Details**

## General

_	
Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	93605
Description	GWconnect Removal Tool for 10A Crimp Contacts, Metal Handle
Comments	Metal handle, special tool steel, nickel plated, for professional users
Function	Removal
Geographic Area	Global
Level of Automation	Manual
Product Family	GWconnect Heavy Duty Connectors (HDC)
Product Name	GWconnect
Tool Type	Extraction Hand Tool
UPC	887191893013
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

## **Physical**

Net Weight	38.000/g
------------	----------

# Use with Part(s)

Description	Part Number
Use With	S-D, S-DD, S-QD, S-K, and S-M Inserts

This document was generated on Aug 11, 2023