

Part Number: 1729530801

Product Description: Micro-Fit Terminal Position Assurance (TPA) Retainer, 8 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen,

Natural

Series Number: 172953

Status: Active

**Product Category:** Connector Accessories



#### **Documents & Resources**

### **Drawings**

<u>Drawing 1729530801\_sd.pdf</u> Packaging Design Drawing 1729530001-PK-000.pdf

### 3D Models and Design Files

3D Model 1729530801\_stp.zip

#### **Specifications**

Product Specification 430450001-PS-KO-000.pdf
Product Specification 430450001-PS-SP-000.pdf
Product Specification PS-43045-001.pdf
Test Summary TS-43045-001-001.pdf
Test Summary TS-43045-002-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	•
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### **Multiple Part Industry Compliance Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

### **Part Details**

#### General

Status	Active
Category	Connector Accessories
Series	172953
Description	Micro-Fit Terminal Position Assurance (TPA) Retainer, 8 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural
Comments	See Product Specification for maximum current rating by circuit size and wire AWG
Component Type	Terminal Position Assurance
Product Family	Micro-Fit Connector System
Product Name	Micro-Fit TPA
UPC	889056430067

# Physical

Circuits (Loaded)	8
Circuits (maximum)	8
Color - Resin	Natural
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.105/g
Number of Rows	1
Packaging Type	Bag
Temperature Range - Operating	-40° to +105°C

## Use with Part(s)

Description	Part Number
Micro-Fit TPA Receptacle Housings	172952
Micro-Fit TPA Dual Row Plug Housings	203632

This document was generated on Oct 03, 2023