



Part Number : [1700010104](#)

Product Description : Mega-Fit Receptacle Housing, Dual Row, 4 Circuit, Glow-Wire Capable, Bag

Series Number : 170001

Status : Active

Product Category : Connector Housings



Documents & Resources

Drawings

[Drawing 1700010104_sd.pdf](#)

[Packaging Design Drawing PK-170001-001-000.pdf](#)

3D Models and Design Files

[3D Model 1700010104_stp.zip](#)

Specifications

[Application Specification AS-76823-100-001.pdf](#)


[Product Specification PS-76823-100-001.pdf](#)

[Test Summary TS-170001-001-001.pdf](#)

[Test Summary TS-76823-100-001.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Compliant per 2000/53/EC |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------------|--|
| Status | Active |
| Category | Connector Housings |
| Series | 170001 |
| Description | Mega-Fit Receptacle Housing, Dual Row, 4 Circuit, Glow-Wire Capable, Bag |
| Application | Power, Wire-to-Board |
| Product Family | Mega-Fit Power Connectors |
| Product Name | Mega-Fit |
| UPC | 887191246291 |

Agency

| | |
|-----|---------|
| CSA | LR19980 |
| UL | E29179 |

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 23.0A |
|-------------------------------|-------|

Physical

| | |
|---------------------|------------|
| Circuits (maximum) | 4 |
| Color - Resin | Black |
| Flammability | 94V-2 |
| Gender | Receptacle |
| Glow-Wire Capable | Yes |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |

| | |
|-------------------------------|----------------|
| Net Weight | 2.080/g |
| Number of Rows | 2 |
| Packaging Type | Bag |
| Panel Mount | No |
| Pitch - Mating Interface | 5.70mm |
| Pitch - Termination Interface | 5.70mm |
| Polarized to Mating Part | Yes |
| Temperature Range - Operating | -40° to +120°C |

Solder Process Data

| | |
|------------------------------|-----|
| Lead-Free Process Capability | N/A |
|------------------------------|-----|

Mates With / Use With

Mates with Part(s)

| Description | Part Number |
|--|-------------------------------|
| Mega-Fit Right-Angle, Dual Row, Through Hole Headers | <u>172064</u> |
| Mega-Fit Vertical, Dual Row Through Hole Headers | <u>172065</u> |
| Mega-Fit Right-Angle Dual Row Headers | <u>76825</u> |
| Mega-Fit and Mega-Fit Slim Vertical Dual Row Headers | <u>76829</u> |

Use with Part(s)

| Description | Part Number |
|--|--|
| Mega-Fit Crimp Terminal, Female, Tin (Sn) Plating, 14 and 16 AWG, Reel | <u>/content/molex/molex-dot-com/us/en/products/product-page.html/768230321.html</u> |
| Mega-Fit Crimp Terminal, Female, Tin (Sn) Plating, 12 AWG, Reel | <u>/content/molex/molex-dot-com/us/en/products/product-page.html/768230322.html</u> |
| Mega-Fit Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 14 and 16 AWG, Reel | <u>/content/molex/molex-dot-com/us/en/products/product-page.html/1720630311.html</u> |
| Mega-Fit Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 12 AWG, Reel | <u>/content/molex/molex-dot-com/us/en/products/product-page.html/1720630312.html</u> |

| | |
|--|---|
| Mega-Fit Crimp Terminal, Female, 0.76µm Gold (Au) Plating, 14 and 16 AWG, Reel | /content/molex/molex-dot-com/us/en/products/product-page.html/1720631311.html |
| Mega-Fit Crimp Terminal, Female, 0.76µm Gold (Au) Plating, 12 AWG, Reel | /content/molex/molex-dot-com/us/en/products/product-page.html/1720631312.html |
| Pre-Crimped Lead Mega-Fit Female-to-Mega-Fit Female, Gold (Au) Plating, 150.00mm Length, 16 AWG, Black | /content/molex/molex-dot-com/us/en/products/product-page.html/797582037.html |
| Pre-Crimped Lead Mega-Fit Female-to-Mega-Fit Female, Gold (Au) Plating, 300.00mm Length, 16 AWG, Black | /content/molex/molex-dot-com/us/en/products/product-page.html/797582038.html |
| Pre-Crimped Lead Mega-Fit Female-to-Mega-Fit Female, Gold (Au) Plating, 150.00mm Length, 12 AWG, Black | /content/molex/molex-dot-com/us/en/products/product-page.html/797582039.html |
| Pre-Crimped Lead Mega-Fit Female-to-Mega-Fit Female, Gold (Au) Plating, 300.00mm Length, 12 AWG, Black | /content/molex/molex-dot-com/us/en/products/product-page.html/797582040.html |