

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63813-1400](#)
Status: **Active**
Description: Manual Extraction Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0201
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	756054688069


Physical

Net Weight	4.210/g
------------	---------

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-638131400, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN
-------------------------------	---



EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0201Series

Application Tooling	FAQ
Description	Product #

2.50mm Pitch SPOX™ Wire-to-Board Crimp Terminal, Reel	0008701039
2.50mm Pitch SPOX™ Crimp Terminal, 22-28 AWG, Bag	0008701040
2.50mm Pitch SPOX™ Wire-to-Board Crimp Terminal, 22-28 AWG, for 5264 Housing, Spring Box, Pre-Tin Plating, Low Profile Version	0039000160
2.54mm Pitch MX64™ Terminal, Gold (Au) Plating, 22 AWG, Right Reel Payoff, Also	0334670003

used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334670004
MX64™ Terminal, Gold (Au) Plating, 22 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334670005
MX64™ Terminal, Gold (Au) Plating, 18-20 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334670006
MX64™ Terminal, Gold (Au) Plating, 18-20 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334680001
MX64™ Terminal, Tin (Sn) Plating, 22 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334680002
MX64™ Terminal, Tin (Sn) Plating, 22 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334680003
MX64™ Terminal, Tin (Sn) Plating, 18-20 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch	0334680004
MX64™ Terminal, Tin (Sn) Plating, 18-20 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.50mm Pitch	0456270002
SPOX™ Male Crimp Terminal, 22 - 24 AWG, Reel	

This document was generated on 10/04/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION