


Part Number: 95001-6661

Modular Jack, Right Angle, Low Profile, SMT, 6/6



Series image - Reference only

Status:	OBSOLETE
Replacement:	955016669
Series:	95001
Category:	Modular Jacks/Plugs
Overview:	Modular Plugs - Jacks

Mates With Part(s):

FCC 68 Plugs

Product Environmental Compliance

EU RoHS: ELV and RoHS Compliant

China RoHS: 

REACH SVHC: Contains SVHC: No

Low-Halogen Status: Not Low-Halogen

Part Detail

General

Status	Obsolete
Category	Modular Jacks/Plugs
Series	95001
Component Type	PCB Jack
Magnetic	No
Overview	Modular Plugs - Jacks
Performance Category	3
Power over Ethernet (PoE)	N/A
Product Name	RJ11
UPC	800753690509

Physical

Boot Color	N/A
Color - Resin	Gray
Durability (mating cycles max)	500
Flammability	94V-0
Inverted / Top Latch	No
Lightpipes/LEDs	None
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Net Weight	2.109/g
Orientation	Right Angle (Side Entry)
PCB Locator	Yes
PCB Retention	Yes
Packaging Type	Tube
Plating min - Mating	1.270µm
Plating min - Termination	1.905µm
Ports	1
Positions / Loaded Contacts	6/6
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-40°C to +80°C
Termination Interface: Style	Through Hole
Waterproof / Dustproof	No
Wire/Cable Type	N/A

Electrical

(Please review the Product Specification for specific details.)

Current - Maximum per Contact	1.5A
Shielded	No
Voltage - Maximum	125V DC

Agency Certification

CSA
UL

LR19980
E107635

Material Info

Reference - Drawing Numbers

Sales Drawing

SDA-95001

Application Tooling

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.

Previously Available Application Tooling

[Check our list of old tooling that used to be available for this part](#)