


**Part Number: 95051-2667**

**Modular Jack, Vertical, 6/6, Panel Stops, Off Centered Latch**



*Series image - Reference only*

<b>Status:</b>	<b>OBSOLETE</b>
<b>Replacement:</b>	<a href="#">955512667</a>
<b>Series:</b>	<a href="#">95051</a>
<b>Category:</b>	Modular Jacks/Plugs
<b>Overview:</b>	<a href="#">Modular Plugs - Jacks</a>

**Mates With Part(s):**

FCC 68 Plugs

**Product Environmental Compliance**

**EU RoHS:** ELV and RoHS Compliant

**China RoHS:** 

**REACH SVHC:** Contains SVHC: No

**Low-Halogen Status:** Not Low-Halogen

## Part Detail

### General

<b>Status</b>	<b>Obsolete</b>
Category	Modular Jacks/Plugs
Series	<a href="#">95051</a>
Comments	Off-Centered Latch
Component Type	PCB Jack
Magnetic	No
Overview	<a href="#">Modular Plugs - Jacks</a>
Performance Category	3
Power over Ethernet (PoE)	N/A
Product Name	RJ11
UPC	800753866409

### Physical

Color - Resin	Black, Gray (Light)
Durability (mating cycles max)	500
Inverted / Top Latch	N/A
Lightpipes/LEDs	None
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic, Polyester
Net Weight	1.984/g
Orientation	Vertical (Top Entry)
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness - Recommended	1.60mm
Packaging Type	Embossed Tape on Reel
Plating min - Mating	1.270µm
Plating min - Termination	1.905µm
Ports	1
Positions / Loaded Contacts	6/6
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +80°C
Termination Interface: Style	Through Hole
Wire/Cable Type	N/A

### Electrical

**(Please review the Product Specification for specific details.)**

Current - Maximum per Contact	1.5A
Shielded	No
Voltage - Maximum	125V

### Material Info

#### Application Tooling

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.

#### Previously Available Application Tooling

[Check our list of old tooling that used to be available for this part](#)